

Bela-Multivit[®] AD3E forte

29.41 / 0.63 / 20.00 mg/ml emulsion for oral application
with the drinking water

Active ingredients: Retinol palmitate, Cholecalciferol,
all-rac- α -Tocopheryl acetate

Target species: Horses, cattle, pigs, sheep, goats, chicken, pigeons,
ornamental and singing birds

Name and address of the marketing authorisation holder:

bela-pharm GmbH & Co. KG, Lohner Str. 19, 49377 Vechta - Germany

Composition:

1.0 ml emulsion contains:

Pharmacological active substance:

Retinol palmitate (1 700 000 I.U./g) (equivalent to 50 000 I.U. Vitamin A)	29.41 mg
Cholecalciferol (40 000 000 I.U./g) (equivalent to 25 000 I.U. Vitamin D)	0.63 mg
all-rac- α -Tocopheryl acetate	20.00 mg

Adjuvants:

Butylhydroxytoluol	0.50 mg
Sorbic acid	1.00 mg
Potassium sorbate	1.00 mg

Pharmaceutical form:

Emulsion for oral application with the drinking water
Yellow emulsion.

Pharmacotherapeutic group:

Vitamin combination

Target species:

Horse, cattle, pig, sheep, goat, chicken, pigeon, ornamental and singing birds.

Indications:

Horses, foals, cattle, calves, pigs, piglets, sheep, goats, chicks, young hens, broilers, layers, parent stock, pigeons, ornamental and singing birds.

Therapy of combined vitamin A, vitamin D, and vitamin E deficiency disease and substitution in increased demands.

Contraindications:

Not known.

Adverse reactions:

Not known.



Bela-Multivit[®] AD3E forte

Dosage for each species, route(s) and method of administration:

For administration with the drinking water.

Bela-Multivit[®] AD3E forte is given once only at the following dose:

<i>Horse, cattle:</i>	10 - 20 ml
<i>Calf:</i>	5 - 10 ml
<i>Foal:</i>	3 - 10 ml
<i>Pig, sheep, goat:</i>	5 - 10 ml
<i>Piglet:</i>	0.2 - 2 ml
<i>100 chicks, ornamental or singing birds:</i>	10 ml
<i>50 young hens, broilers, doves:</i>	10 ml
<i>40 layers, parent stock:</i>	10 ml

A scaled dose device with a maximal volume of 30 ml is added to the 1 l packing.

Withdrawal period(s)

Cattle, horse, sheep, goat:

Edible tissues:	0 days
Milk:	0 days

Pig:

Edible tissues:	0 days
-----------------	--------

Chicken, pigeon:

Edible tissues:	0 days
Eggs:	0 days

Advice on correct administration:

Special warnings for each target species:

Not indicated.

Special precautions for use:

Special precautions for use in animals:

Not indicated.

Special safety precautions to be taken by the person administering the medicinal product to animals:

Not indicated.

Use during pregnancy, lactation or lay:

As following excessive doses of vitamin A teratogenic effects have been observed in man and laboratory animals, a strong indication is required.

Interaction with other medicinal products and other forms of interaction:

Not known.

Overdose:

Considerable overdose of vitamin A, comprise the danger of toxicity (hypervitaminosis). Symptoms of acute vitamin A intoxication are: somnolence, movement disorders, vomiting, and squamous degeneration of the skin. Following an overdose in pregnant animals, especially in the early stage of gestation, an increase number of foetal absorption, stillbirths and malformations may be observed.

Incompatibilities

Due to possible incompatibilities, mixing with other medicinal products should be avoided.

Bela-Multivit[®] AD3E forte

Special storage precautions:

Store in a refrigerator (+ 2 °C to + 8 °C).

Store at room temperature not exceeding 25 °C after opening.

Keep out of reach and sight of children.

Shelf life after first opening the container: 28 days.

Residuals of the pharmaceutical remaining in the packing after ending of this period must be wasted.

Stability of the medicated drinking water in closed drinking water systems: 8 hours.
(e.g. for *poultry*)

Stability of the medicated drinking water in open drinking water systems: 4 hours.
(e.g. for *pigeons, ornamental and singing birds*)

Do not use after the expiration date stated on the label.

Special precautions for the disposal of unused veterinary medicinal product or waste materials, if any:

Remaining quantities shall be preferably given to pollutant collecting points. When wasted together with the general household waste, it has to be ensured that no misuse of the pharmaceutical is possible. Veterinary pharmaceuticals must not be wasted with waste water or sewage systems. Local regulations for the disposal of pharmaceuticals have to be observed.

For animal treatment only.

Marketing authorisation number: 6932749.00.00 (Germany)

Available on prescription only!

Date of revision of the text: 14.01.2011